

Hot rolled sheets and plates in heat resisting alloys — Thickness $2,0 \text{ mm} \leq a \leq 100 \text{ mm}$ — Dimensions

The European Standard EN 3506:2001 has the status of a
British Standard

ICS 49.025.99; 49.035;

National foreword

This British Standard is the official English language version of EN 3506:2001. The UK participation in its preparation was entrusted to Technical Committee ACE/61, Inspection and testing requirements for aerospace metallic materials, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this committee can be obtained on request to its secretary.

Cross-references

The British Standards which implement international or European publications referred to in this document may be found in the BSI Standards Catalogue under the section entitled “International Standards Correspondence Index”, or by using the “Find” facility of the BSI Standards Electronic Catalogue.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

This British Standard, having been prepared under the direction of the Engineering Sector Policy and Strategy Committee, was published under the authority of the Standards Policy and Strategy Committee on 22 October 2001

Summary of pages

This document comprises a front cover, an inside front cover, the EN title page, pages 2 to 6, an inside back cover and a back cover.

The BSI copyright date displayed in this document indicates when the document was last issued.

Amendments issued since publication

Amd. No.	Date	Comments

© BSI 22 October 2001

ISBN 0 580 37998 1

ICS 49.025.99

English version

Aerospace series - Hot rolled sheets and plates in heat resisting alloys - Thickness $2,0 \text{ mm} \leq a \leq 100 \text{ mm}$ - Dimensions

Série aérospatiale - Tôles et plaques épaisses laminées à chaud en alliages résistant à chaud - Epaisseurs $2,0 \text{ mm} \leq a \leq 100 \text{ mm}$ - Dimensions

Luft- und Raumfahrt - Warmgewalzte Bleche und Platten aus hochwarmfesten Legierungen - Dicken $2,0 \text{ mm} \leq a \leq 100 \text{ mm}$ - Maße

This European Standard was approved by CEN on 2 May 2001.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Foreword

This European Standard has been prepared by the European Association of Aerospace Manufacturers (AECMA).

After inquiries and votes carried out in accordance with the rules of this Association, this Standard has received the approval of the National Associations and the Official Services of the member countries of AECMA, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2002, and conflicting national standards shall be withdrawn at the latest by March 2002.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

0 Introduction

This standard is part of the series of EN metallic material standards for aerospace applications. The general organization of this series is described in EN 4258.

1 Scope

This standard specifies the dimensions and tolerances of:

Hot rolled sheets and plates
in heat resisting alloys
Thickness $2,0 \text{ mm} \leq a \leq 100 \text{ mm}$

for aerospace applications.

2 Normative references

This European Standard incorporates by dated or undated reference provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

EN 3848 Aerospace series - Semi-finished metallic products - Method of measuring form deviations

EN 4258 Aerospace series - Metallic materials - General organization of standardization - Links between types of EN standards and their use

3 Form

See figure 1.




Figure 1

4 Recommended dimensions and mass

See table 1.

Table 1

Nominal <i>a</i> mm	Mass per unit area ^a kg/m ²
2,0	16,2
2,2	17,8
2,5	20,3
2,8	22,7
3,2	25,9
3,5	28,4
4,0	32,4
4,5	36,5
5,0	40,5
6,0	48,6
7,0	56,7
8,0	64,8
9,0	72,9
10,0	81,0
11,0	89,1
12,0	97,2
14,0	113,4
15,0	121,5
16,0	129,6
18,0	145,8
20,0	162,0
22,0	178,2
25,0	202,5
28,0	226,8
30,0	243,0
32,0	259,2
35,0	283,5
40,0	324,0
45,0	364,5
50,0	405,0
56,0	453,6
63,0	510,3
71,0	575,1
80,0	648,0
90,0	729,0
100,0	810,0
^a For information, calculated with a density of 8,1 kg/dm ³	

5 Tolerances

5.1 Dimensional tolerances

5.1.1 Thickness

See table 2.

Measurements shall be taken at least 20 mm from the edge.

Table 2

Dimensions in millimetres

Thickness	Tolerances for width:		
	$b \leq 1\,000$	$1\,000 < b \leq 2\,000$	$b > 2\,000$
$2,0 \leq a \leq 2,8$	$\pm 0,2$	$\pm 0,3$	$\pm 0,4$
$2,8 < a \leq 3,5$	$\pm 0,3$	$\pm 0,4$	$\pm 0,5$
$3,5 < a \leq 4,5$	$\pm 0,3$	$\pm 0,5$	$\pm 0,6$
$4,5 < a \leq 5,0$	$\pm 0,4$	$\pm 0,6$	$\pm 0,8$
$5,0 < a \leq 7,0$	$\pm 0,5$	$\pm 0,8$	$\pm 1,0$
$7,0 < a \leq 9,0$	$\pm 0,6$	$\pm 0,9$	$\pm 1,2$
$9,0 < a \leq 10,0$	$\pm 0,7$	$\pm 1,0$	$\pm 1,4$
$10,0 < a \leq 14,0$	$\pm 0,8$	$\pm 1,2$	$\pm 1,6$
$14,0 < a \leq 18,0$	$\pm 1,0$	$\pm 1,5$	$\pm 2,0$
$18,0 < a \leq 22,0$	$\pm 1,2$	$\pm 1,8$	$\pm 2,4$
$22,0 < a \leq 28,0$	$\pm 1,4$	$\pm 2,1$	$\pm 2,8$
$28,0 < a \leq 36,0$	$\pm 1,7$	$\pm 2,6$	$\pm 3,4$
$36,0 < a \leq 45,0$	$\pm 2,0$	$\pm 3,0$	$\pm 4,0$
$45,0 < a \leq 56,0$	$\pm 2,5$	$\pm 3,8$	$\pm 5,0$
$56,0 < a \leq 80,0$	$\pm 3,5$	$\pm 4,5$	$\pm 6,0$
$80,0 < a \leq 100,0$	$\pm 4,0$	$\pm 6,0$	$\pm 8,0$

5.1.2 Width

The tolerance on fixed widths b is $^{+ (10 + 0,001 b)}_0$ mm.

5.1.3 Length

The tolerance on fixed lengths l is $^{+ (10 + 0,001 l)}_0$ mm.

5.2 Geometric tolerances

5.2.1 Squareness

5.2.1.1 Method of measurement

See EN 3848.

5.2.1.2 Tolerances

The maximum difference in the lengths of the diagonals shall be $(6 + 0,001 AA)$ mm.

5.2.2 Lateral curvature

5.2.2.1 Method of measurement and symbol

See EN 3848.

5.2.2.2 Tolerances

See table 3.

The lateral curvature may be concave or convex.

Table 3

Dimensions in millimetres

Thickness	Lateral curvature F on:	
	width	length
$2 \leq a \leq 100$	$\leq 0,01 \times b$	$\leq 0,01 \times l$

5.2.3 Flatness

5.2.3.1 Method of measurement and symbols

See EN 3848.

5.2.3.2 Tolerances

See table 4.

Table 4

Dimensions in millimetres

Thickness	Flatness deviation f for:		
	all widths	all lengths	chord $W = 300$
$2 \leq a \leq 100$	$\leq 0,003 \times b$	$\leq 0,003 \times l$	≤ 1

www.parsethylene-kish.com

BSI — British Standards Institution

BSI is the independent national body responsible for preparing British Standards. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover. Tel: 020 8996 9000. Fax: 020 8996 7400.

BSI offers members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

Buying standards

Orders for all BSI, international and foreign standards publications should be addressed to Customer Services. Tel: 020 8996 9001. Fax: 020 8996 7001. Standards are also available from the BSI website at <http://www.bsi-global.com>.

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

Information on standards

BSI provides a wide range of information on national, European and international standards through its Library and its Technical Help to Exporters Service. Various BSI electronic information services are also available which give details on all its products and services. Contact the Information Centre. Tel: 020 8996 7111. Fax: 020 8996 7048.

Subscribing members of BSI are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration. Tel: 020 8996 7002. Fax: 020 8996 7001. Further information about BSI is available on the BSI website at <http://www.bsi-global.com>.

Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI.

This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained.

If permission is granted, the terms may include royalty payments or a licensing agreement. Details and advice can be obtained from the Copyright Manager. Tel: 020 8996 7070.

BSI
389 Chiswick High Road
London
W4 4AL